

TPNODL
TP NORTHERN ODISHA DISTRIBUTION LIMITED
(A Tata Power and Odisha Government Joint Venture)

Ref: TPNODL/EA/04/2022

Dated: 20.08.2022

To

The EIC (E)-cum-PCEI & S.D.A(O)
Power House Square
Unit-V, Bhubaneswar, Odisha -751001.

Subject: Submission of Quarterly Energy Accounting report of TP Northern Odisha Distribution Ltd. for Q1 FY 2022-23.

Dear Sir,

The Quarterly Energy Accounting report for the period **1st April 2022 - 30th June 2022 (Q1)** for TPNODL is submitted in the specified Pro-forma. The duly signed copy is attached for your reference, please.

Kindly acknowledge the same.

Thanks and Regards


Manish Kriplani

Head Energy Audit

TP Northern Odisha Distribution Limited

Mob +91-9799495503

CC: Bureau of Energy Efficiency, R.K Puram, New Delhi 110-066

General Information

1	Name of the DISCOM	TPNODL		
2	i) Year of Establishment	1st April 2021		
	ii) Government/Public/Private	Public Private Partnership		
3	DISCOM's Contact details & Address			
i	City/Town/Village	TP NORTHERN ODISHA DISTRIBUTION LIMITED		
ii	District	BALASORE		
iii	State	ODISHA	Pin	756019
iv	Telephone	06782-244865	Fax	06782-244259
4	Registered Office			
i	Company's Chief Executive Name	BHASKAR SARKAR		
ii	Designation	CHIEF EXECUTIVE OFFICER		
iii	Address	TP NORTHERN ODISHA DISTRIBUTION LIMITED		
iv	City/Town/Village	Januganj	P.O.	
v	District	BALASORE		
vi	State	ODISHA	Pin	756019
vii	Telephone	06782-244865	Fax	06782-244259
5	Nodal Officer Details*			
i	Nodal Officer Name (Designated at DISCOM's)	Mr. Dushyant Kumar Tyagi		
ii	Designation	Chief of Operation		
iii	Address	BALASORE		
iv	City/Town/Village	Januganj	P.O.	
v	District	BALASORE		
vi	State	Odisha	Pin	756019
vii	Telephone	06782-244865	Fax	06782-244259
6	Energy Manager Details*			
i	Name	Mr. Manish Kriplani		
ii	Designation	HOD (Energy Audit)	Whether EA or EM	
iii	EA/EM Registration No.			
iv	Telephone	9799495503	Fax	
v	Mobile	9799495503	E-mail ID	manish.kriplani@tpnodl.com
7	Period of Information			
	Year of (FY) information including Date and Month (Start & End)	1st Apr, 2022 - 30th June, 2022		



 20/8/2022

Performance Summary of Electricity Distribution Companies			
1	Period of Information	1st Apr, 2022 - 30th June, 2022	
	Year of (FY) information including Date and Month (Start & End)		
2	Technical Details		
(a)	Energy Input Details		
(i)	Input Energy Purchase (From Generation Source)	Million kwh	1665.68
(ii)	Net input energy (at DISCOM Periphery after adjusting the transmission losses and energy traded)	Million kwh	1665.68
(iii)	Total Energy billed (is the Net energy billed, adjusted for energy traded))	Million kwh	1342.52
(b)	Transmission and Distribution (T&D) loss Details	Million kwh	323.16
		%	0.19
	Collection Efficiency	%	89%
(c)	Aaggregate Technical & Commercial Loss	%	28%

I/We undertake that the information supplied in this Document and Pro-forma is accurate to the best of my knowledge and if any of the information supplied is found to be incorrect and such information result into loss to the Central Government or State Government or any of the authority under them or any other person affected, I/we undertake to indemnify such loss.

Authorised Signatory and Seal

Name of Authorised Signatory

Name of the TPNODL

Full Address: Januganj, Balasore, Odisha-751019

Dushyant Tyagi
Chief Commercial Services & CSR
TPNODL

Signature:-

Name of Energy Manager

Registration Number:

Manish Kriplani
22/08/2022
Mr. Manish Kriplani

Seal

Form-Details of Input Infrastructure					
1	Parameters	Total	Covered during In audit	Verified by Auditor in Sample Check	Remarks (Source of data)
i	Number of circles	5			TPNODL Database
ii	Number of divisions	16			TPNODL Database
iii	Number of sub-divisions	50			TPNODL Database
iv	Number of feeders	808			TPNODL Database
v	Number of DTs	72958			TPNODL Database
vi	Number of consumers	2117933			TPNODL Database
2	Parameters	66kV and above	33kV	11/22kV	LT
a. i.	Number of conventional metered consumers	38	147	488	2056638
ii	Number of consumers with 'smart' meters	NA	NA	NA	NA
iii	Number of consumers with 'smart prepaid' meters	NA	NA	NA	NA
iv	Number of consumers with 'AMR' meters	38	147	488	NA
v	Number of consumers with 'non-smart prepaid' meters	NA	NA	NA	NA
vi	Number of unmetered consumers	NA	NA	NA	60622
vii	Number of total consumers	38	147	488	2117260
b.i.	Number of conventionally metered Distribution Transformers	NA	NA	2269	NA
ii	Number of DTs with communicable meters	NA	NA	608	NA
iii	Number of unmetered DTs	NA	NA	70689	NA
iv	Number of total Transformers	NA	NA	72958	NA
c.i.	Number of metered feeders	NA	98	584	NA
ii	Number of feeders with communicable meters	NA	98	0	NA
iii	Number of unmetered feeders	NA	0	224	NA
iv	Number of total feeders	NA	98	808	NA
d.	Line length (ct km)		107590.31		
e.	Length of Aerial Bunched Cables		44133.51		
f.	Length of Underground Cables		401		
3	Voltage level	Particulars	MU	Reference	Remarks (Source of data)
		Long-Term Conventional	0	Includes input energy for franchisees	
		Medium Conventional	0		
		Short Term Conventional	0		
		Banking	0		
		Long-Term Renewable energy	0		
		Medium and Short-Term RE	0	Includes power from bilateral/ PX/ DEEP	

i	66kV and above	Captive, open access input	0	Any power wheeled for any purchase other than sale to DISCOM. Does not include input for franchisee.
ii	33kV	Sale of surplus power	0	
		Quantum of inter-state transmission loss	0	As confirmed by SLDC, RLDC etc
		Power procured from inter-state sources	0	Based on data from Form 5
		Power at state transmission boundary	0	
		Long-Term Conventional	0	
		Medium Conventional	0	
		Short Term Conventional	0	
		Banking	0	
		Long-Term Renewable energy	0	
		Medium and Short-Term RE	0	
		Captive, open access input	0	
		Sale of surplus power	0	
		Quantum of intra-state transmission loss	0	
		Power procured from intra-state sources	0	
		Input in DISCOM wires network	0	
iv	33 kV	Renewable Energy Procurement	0	
v	11 kV	Small capacity conventional/ biomass/ hydro plants Procurement	0	
		Captive, open access input	0	
		Renewable Energy Procurement	0	
		Small capacity conventional/ biomass/ hydro plants Procurement	0	
		Sales Migration Input	0	
vi	LT	Renewable Energy Procurement	0	
vii		Sales Migration Input	0	
		Energy Embedded within DISCOM wires network	0	
viii		Total Energy Available/ Input	0	

4	Voltage level	Energy Sales Particulars	MU	Reference
		DISCOM' consumers	647	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive	0	Non DISCOM's sales
		Embedded generation used at LT level	0	Demand from embedded generation at LT level
		Sale at LT level	647	
		Quantum of LT level losses	316	FG Billing Source
		Energy input at LT level	963	FG Billing Source
		DISCOM' consumers	170	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive	0	Non DISCOM's sales
		Embedded generation at 11 kV level used	0	Demand from embedded generation at 11kV level
		Sales at 11 kV level	170	
		Quantum of Losses at 11 kV	7	FG Billing Source
		Energy input at 11 kV level	177	FG Billing Source
		DISCOM' consumers		Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive	0	Non DISCOM's sales
		Embedded generation at 33 kV or below level	0	This is DISCOM and OA demand met via energy generated at same voltage level
		Sales at 33 kV level	0	
		Quantum of Losses at 33 kV	0	
		Energy input at 33kV Level		
		DISCOM' consumers	525.339	Include sales to consumers in franchisee areas, unmetered consumers
		Demand from open access, captive	0	Non DISCOM's sales
		Cross border sale of energy	0	
		Sale to other DISCOMs	0	
		Banking	0	
		Energy input at > 33kV Level	525	
		Sales at 66kV and above (EHV)	525	
		Total Energy Requirement	1,665	FG Billing Source
		Total Energy Sales	1,343	FG Billing Source
				BST Bill OPTCL
				FG Billing Source

Energy Accounting Summary

5	DISCOM	Input (In MU)	Sale (In MU)	Loss (In MU)	Loss %
i	LT	963	647	316	0.328150584
ii	11 Kv	177	170	7	0.038461538
iii	33 kv	0	0	0	0
iv	> 33 kv	525	525.339	0	0

6	Open Access, Captive	Input (in MU)	Save (in MU)	Loss (in MU)
i	LT	0	0	0
ii	11 Kv	0	0	0
iii	33 kv	0	0	0
iv	> 33 kv	0	0	0

Loss Estimation for DISCOM	
T&D loss	323
D loss	323
T&D loss (%)	0.193872306
D loss (%)	0.193872306


 20/8/2022

13	Sub-total		102502	2232	104734	100%	109,813	2,464	112,277	100%	56,974	33,517	3,723	37,24	100%	19,734	35%	20,1273	14,5535	72.31%	53%	
	Jalpur	Residential	111768	2274	114042	99%	95,652	1,421	97,073	64%		25,373	4,021	29,394	49%				13,9315	8,7699	62.95%	
		Agricultural	1389	166	1555	1%	12,64	0.698	13,338	9%		1,344	0.787	2,131	4%				0,4013	0,0669	16.67%	
		Commercial/Industrial-LI	5264	41	5305	4%	20,193	0.031	20,224	13%	91,763	7,247	0.475	7,247	12%	32.24	35%	5,6067	4,4229	78.89%		
		Commercial/Industrial-HI	34	0	34	0%	18,177	0	18,177	12%		19,886	0	19,886	33%			12,3378	14,5713	118.10%		
Sub-total		119118	2554	121672	100%	149,245	2,321	151,566	100%	91,763	54,182	5,341	59,523	100%	32.24	35%	32,1277	28,7511	86.79%	44%		
14	Sub-total		114491	2180	116671	95%	91,181	1,185	92,366	51%		20,344	1,948	22,292	26%			11,1028	7,8111	70.35%		
	KED	Agricultural	1063	51	1114	1%	4,649	0.224	4,873	3%		0,875	0.148	1,023	1%			0,1927	0,0295	15.31%		
		Commercial/Industrial-LI	5775	6	5781	5%	22,545	0.02	22,565	12%	94,954	7,436	0.217	7,653	5%	8,375	9%	5,5338	4,6092	83.29%		
		Commercial/Industrial-HI	34	0	34	0%	33,464	0	33,464	19%		45,147	0	45,147	52%			25,594	23,5559	91.04%		
		Others	1355	19	1374	1%	27,439	0.057	27,496	15%		10,329	0.135	10,464	12%			10,2452	10,0347	97.95%		
Sub-total		122718	2256	124974	100%	179,278	1,886	180,764	100%	94,954	84,131	2,448	86,579	100%	8,375	9%	52,6685	46,0404	87.42%	20%		
15	Sub-total		83055	3003	86058	91%	84,536	1,661	86,197	78%		22,154	2,638	24,792	14%			12,2015	8,9542	73.39%		
	JOED	Residential	834	44	878	1%	3,826	0.23	4,056	1%		0,931	0.081	1,012	1%			0,1582	0,0256	16.18%		
		Agricultural	5910	4	5914	6%	24,186	0.004	24,19	8%	191,673	7,871	0.344	8,215	4%	8.73	5%	6,033	5,3561	88.78%		
		Commercial/Industrial-LI	66	0	66	0%	146,279	0	146,279	48%		123,914	0	123,914	68%			78,7845	86,89	110.29%		
		Commercial/Industrial-HI	1150	6	1156	1%	42,595	0.008	42,603	14%		24,814	0.196	25,01	14%			22,275	21,1547	94.97%		
Sub-total		91015	3057	94072	100%	301,422	1,903	303,325	100%	191,673	179,584	3,259	182,943	100%	8,73	5%	119,4522	122,3806	102.45%	2%		
16	Sub-total		131696	2939	134635	95%	101,265	2,222	103,487	78%		21,448	4,166	25,614	70%			12,5034	5,8036	46.47%		
	AED	Residential	630	11	641	0%	2,362	0.053	2,415	2%		0,633	0.03	0,663	2%			0,1243	0,012	9.65%		
		Commercial/Industrial-LI	4910	27	4937	3%	16,476	0.08	16,556	12%	52,24	5,139	0.378	5,517	15%	15,601	30%	4,2411	3,5753	84.30%		
		Commercial/Industrial-HI	17	0	17	0%	4,503	0	4,503	3%		1,979	0	1,979	5%			1,5833	1,7308	109.32%		
		Others	1696	97	1793	1%	6,479	0.065	6,544	5%		2,667	0.199	2,866	8%			2,2091	1,8495	83.72%		
Sub-total		138949	3074	142023	100%	131,085	2,42	133,505	100%	52,24	31,866	4,773	36,639	100%	15,601	30%	20,6612	12,9712	62.78%	56%		

Color code	Parameter
	Please enter name of circle
	Please enter circle code
0	Please enter number value or 0
	Formula protected

I/We undertake that the information supplied in this Document and Pro-forma is accurate to the best of my knowledge and if any of the information supplied is found to be incorrect and such information result into loss to the Central Government or State Government or any of the authority under them or any other person affected, I/we undertake to indemnify such loss.

Authorised Signatory and Seal

Name of Authorised Signatory:

Name of the DISCOM:

Full Address:-


Seal


 22/08/22
 Dushyant Tyagi
 Chief Commercial Services & CSR
 TPNODL

Signature:-

Name of Energy Manager:

Registration Number:


 22/08/22
 Manpreet Kaur

Form: Input energy details of Input energy & infrastructure
A. Summary of energy input & infrastructure

A. Summary of energy input & infrastructure										Period from April 22 to April 23		Remarks (Source of data)	
A.1 Input Energy (particular MW)										1000.00	0	DSI Data (GCL)	
A.1.1 Transmission loss (MW)										0	0		
A.1.2 Distribution loss (MW)										0	0		
A.1.3 Transformer loss (MW)										0	0		
A.1.4 Transformer loss (MW)										0	0		
A.1.5 Transformer loss (MW)										0	0		
A.1.6 Transformer loss (MW)										0	0		
A.1.7 Transformer loss (MW)										0	0		
A.1.8 Transformer loss (MW)										0	0		
A.1.9 Transformer loss (MW)										0	0		
A.1.10 Transformer loss (MW)										0	0		
A.1.11 Transformer loss (MW)										0	0		
A.1.12 Transformer loss (MW)										0	0		
A.1.13 Transformer loss (MW)										0	0		
A.1.14 Transformer loss (MW)										0	0		
A.1.15 Transformer loss (MW)										0	0		
A.1.16 Transformer loss (MW)										0	0		
A.1.17 Transformer loss (MW)										0	0		
A.1.18 Transformer loss (MW)										0	0		
A.1.19 Transformer loss (MW)										0	0		
A.1.20 Transformer loss (MW)										0	0		
A.1.21 Transformer loss (MW)										0	0		
A.1.22 Transformer loss (MW)										0	0		
A.1.23 Transformer loss (MW)										0	0		
A.1.24 Transformer loss (MW)										0	0		
A.1.25 Transformer loss (MW)										0	0		
A.1.26 Transformer loss (MW)										0	0		
A.1.27 Transformer loss (MW)										0	0		
A.1.28 Transformer loss (MW)										0	0		
A.1.29 Transformer loss (MW)										0	0		
A.1.30 Transformer loss (MW)										0	0		
A.1.31 Transformer loss (MW)										0	0		
A.1.32 Transformer loss (MW)										0	0		
A.1.33 Transformer loss (MW)										0	0		
A.1.34 Transformer loss (MW)										0	0		
A.1.35 Transformer loss (MW)										0	0		
A.1.36 Transformer loss (MW)										0	0		
A.1.37 Transformer loss (MW)										0	0		
A.1.38 Transformer loss (MW)										0	0		
A.1.39 Transformer loss (MW)										0	0		
A.1.40 Transformer loss (MW)										0	0		
A.1.41 Transformer loss (MW)										0	0		
A.1.42 Transformer loss (MW)										0	0		
A.1.43 Transformer loss (MW)										0	0		
A.1.44 Transformer loss (MW)										0	0		
A.1.45 Transformer loss (MW)										0	0		
A.1.46 Transformer loss (MW)										0	0		
A.1.47 Transformer loss (MW)										0	0		
A.1.48 Transformer loss (MW)										0	0		
A.1.49 Transformer loss (MW)										0	0		
A.1.50 Transformer loss (MW)										0	0		
A.1.51 Transformer loss (MW)										0	0		
A.1.52 Transformer loss (MW)										0	0		
A.1.53 Transformer loss (MW)										0	0		
A.1.54 Transformer loss (MW)										0	0		
A.1.55 Transformer loss (MW)										0	0		
A.1.56 Transformer loss (MW)										0	0		
A.1.57 Transformer loss (MW)										0	0		
A.1.58 Transformer loss (MW)										0	0		
A.1.59 Transformer loss (MW)										0	0		
A.1.60 Transformer loss (MW)										0	0		
A.1.61 Transformer loss (MW)										0	0		
A.1.62 Transformer loss (MW)										0	0		
A.1.63 Transformer loss (MW)										0	0		
A.1.64 Transformer loss (MW)										0	0		
A.1.65 Transformer loss (MW)										0	0		
A.1.66 Transformer loss (MW)										0	0		
A.1.67 Transformer loss (MW)										0	0		
A.1.68 Transformer loss (MW)										0	0		
A.1.69 Transformer loss (MW)										0	0		
A.1.70 Transformer loss (MW)										0	0		
A.1.71 Transformer loss (MW)										0	0		
A.1.72 Transformer loss (MW)										0	0		
A.1.73 Transformer loss (MW)										0	0		
A.1.74 Transformer loss (MW)										0	0		
A.1.75 Transformer loss (MW)										0	0		
A.1.76 Transformer loss (MW)										0	0		
A.1.77 Transformer loss (MW)										0	0		
A.1.78 Transformer loss (MW)										0	0		
A.1.79 Transformer loss (MW)										0	0		
A.1.80 Transformer loss (MW)										0	0		
A.1.81 Transformer loss (MW)										0	0		
A.1.82 Transformer loss (MW)										0	0		
A.1.83 Transformer loss (MW)										0	0		
A.1.84 Transformer loss (MW)										0	0		
A.1.85 Transformer loss (MW)										0	0		
A.1.86 Transformer loss (MW)										0	0		
A.1.87 Transformer loss (MW)										0	0		
A.1.88 Transformer loss (MW)										0	0		
A.1.89 Transformer loss (MW)										0	0		
A.1.90 Transformer loss (MW)										0	0		
A.1.91 Transformer loss (MW)										0	0		
A.1.92 Transformer loss (MW)										0	0		
A.1.93 Transformer loss (MW)										0	0		
A.1.94 Transformer loss (MW)										0	0		
A.1.95 Transformer loss (MW)										0	0		
A.1.96 Transformer loss (MW)										0	0		
A.1.97 Transformer loss (MW)										0	0		
A.1.98 Transformer loss (MW)										0	0		
A.1.99 Transformer loss (MW)										0	0		
A.1.100 Transformer loss (MW)										0	0		

B. Meter reading of input energy at all the meter points

B. Meter reading of input energy at all the meter points																			Period from April 22 to April 23		Remarks (Source of data)	
Sl. No.	Zone	Circle	Voltage Level (KV)	Deduction (KV)	Sub-Division (KV)	Feeder ID	Feeder Name	Metering Method (Meters/Transformer/ASD/MIS)	Status of Meter (Functional/Non-functional)	Metering Date	Type of Meter (Analog/Digital)	% of data received through metering, if metering is not functional, it is considered as 0	Status of Communication		Primary Metering		Status					
													Number of Meters where error was commensurate to meter reading	Total Number of Meters in the period	Meter ID No.	CT/PT ratio		Imports (MW)	Exports (MW)			
B.1	TPR001	TPR001	11 KV	11 KV	TPR001 MI 500	62100	TPR001 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR001 MI 500	1000	19.92	0	OPCL B5T			
B.2	TPR002	TPR002	11 KV	11 KV	TPR002 MI 500	62101	TPR002 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR002 MI 500	1000	9.17	0	OPCL B5T			
B.3	TPR003	TPR003	11 KV	11 KV	TPR003 MI 500	62102	TPR003 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR003 MI 500	1000	9.06	0	OPCL B5T			
B.4	TPR004	TPR004	11 KV	11 KV	TPR004 MI 500	62103	TPR004 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR004 MI 500	1000	14.57	0	OPCL B5T			
B.5	TPR005	TPR005	11 KV	11 KV	TPR005 MI 500	62104	TPR005 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR005 MI 500	1000	7.77	0	OPCL B5T			
B.6	TPR006	TPR006	11 KV	11 KV	TPR006 MI 500	62105	TPR006 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR006 MI 500	1000	16.08	0	OPCL B5T			
B.7	TPR007	TPR007	11 KV	11 KV	TPR007 MI 500	62106	TPR007 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR007 MI 500	1000	2.57	0	OPCL B5T			
B.8	TPR008	TPR008	11 KV	11 KV	TPR008 MI 500	62107	TPR008 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR008 MI 500	1000	0.55	0	OPCL B5T			
B.9	TPR009	TPR009	11 KV	11 KV	TPR009 MI 500	62108	TPR009 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR009 MI 500	1000	0.00	0	OPCL B5T			
B.10	TPR010	TPR010	11 KV	11 KV	TPR010 MI 500	62109	TPR010 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR010 MI 500	1000	15.43	0	OPCL B5T			
B.11	TPR011	TPR011	11 KV	11 KV	TPR011 MI 500	62110	TPR011 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR011 MI 500	1000	51.11	0	OPCL B5T			
B.12	TPR012	TPR012	11 KV	11 KV	TPR012 MI 500	62111	TPR012 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR012 MI 500	1000	51.56	0	OPCL B5T			
B.13	TPR013	TPR013	11 KV	11 KV	TPR013 MI 500	62112	TPR013 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR013 MI 500	1000	50.72	0	OPCL B5T			
B.14	TPR014	TPR014	11 KV	11 KV	TPR014 MI 500	62113	TPR014 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR014 MI 500	1000	11.12	0	OPCL B5T			
B.15	TPR015	TPR015	11 KV	11 KV	TPR015 MI 500	62114	TPR015 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR015 MI 500	1000	10.70	0	OPCL B5T			
B.16	TPR016	TPR016	11 KV	11 KV	TPR016 MI 500	62115	TPR016 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR016 MI 500	1000	9.63	0	OPCL B5T			
B.17	TPR017	TPR017	11 KV	11 KV	TPR017 MI 500	62116	TPR017 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR017 MI 500	1000	10.33	0	OPCL B5T			
B.18	TPR018	TPR018	11 KV	11 KV	TPR018 MI 500	62117	TPR018 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR018 MI 500	1000	16.60	0	OPCL B5T			
B.19	TPR019	TPR019	11 KV	11 KV	TPR019 MI 500	62118	TPR019 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR019 MI 500	1000	16.79	0	OPCL B5T			
B.20	TPR020	TPR020	11 KV	11 KV	TPR020 MI 500	62119	TPR020 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR020 MI 500	1000	17.78	0	OPCL B5T			
B.21	TPR021	TPR021	11 KV	11 KV	TPR021 MI 500	62120	TPR021 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR021 MI 500	1000	0.17	0	OPCL B5T			
B.22	TPR022	TPR022	11 KV	11 KV	TPR022 MI 500	62121	TPR022 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR022 MI 500	1000	15.07	0	OPCL B5T			
B.23	TPR023	TPR023	11 KV	11 KV	TPR023 MI 500	62122	TPR023 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR023 MI 500	1000	9.50	0	OPCL B5T			
B.24	TPR024	TPR024	11 KV	11 KV	TPR024 MI 500	62123	TPR024 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR024 MI 500	1000	15.15	0	OPCL B5T			
B.25	TPR025	TPR025	11 KV	11 KV	TPR025 MI 500	62124	TPR025 MI 500	Metered	Functional	01-07-2022	Meter	100% data received through EMD file	1	1	TPR025 MI 500	1000	0	0	OPCL B5T			

B-76	IPW001	Power Unit	12V AC	IN-12	Dubai 500	61102	RC Mobility (6-18W)	TOMK Function Feeder	Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#A	19.78		OPTCL B5T
B-77	IPW001	Power Unit	12V AC	IN-12	Dubai 500	61103	TOMK Function Feeder	123W	Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#B	8.09		OPTCL B5T
B-78	IPW001	Power Unit	12V AC	IN-12	Umanat 500	521201	T11-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#C	14.40		OPTCL B5T
B-79	IPW001	Power Unit	12V AC	IN-12	Belmont 500	521202	T11-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#D	22.53		OPTCL B5T
B-80	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421501	Shamsa Post Feeder 132W	(1)	Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#E	6.68		OPTCL B5T
B-81	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421502	Shamsa Post Feeder 132W		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#F	16.85		OPTCL B5T
B-82	IPW001	Power Unit	12V AC	IN-12	Umanat 500	422001	PACOR Feeder 132W		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#G	30.37		OPTCL B5T
B-83	IPW001	Power Unit	12V AC	IN-12	Umanat 500	422002	FACON Power 132W		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#H	0.30		OPTCL B5T
B-84	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421101	Traction Feeder 132W		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#I	14.64		OPTCL B5T
B-85	IPW001	Power Unit	12V AC	IN-12	Umanat No. 1500	421102	T11-23MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#J	40.78		OPTCL B5T
B-86	IPW001	Power Unit	12V AC	IN-12	Umanat No. 1500	421103	T12-23MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#K	40.66		OPTCL B5T
B-87	IPW001	Power Unit	12V AC	IN-12	Umanat No. 1500	421104	T13-23MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#L	39.82727		OPTCL B5T
B-88	IPW001	Power Unit	12V AC	IN-12	Umanat No. 1500	421105	T14-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#M	12.42		OPTCL B5T
B-89	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421106	T15-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#N	12.24		OPTCL B5T
B-90	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421107	T16-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#O	2.60		OPTCL B5T
B-91	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421108	T17-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#P	2.73		OPTCL B5T
B-92	IPW001	Power Unit	12V AC	IN-12	Dubai 500	61104	Dubai Feeder 132W		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#Q	29.11		OPTCL B5T
B-93	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421101	T11-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#R	9.05		OPTCL B5T
B-94	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421102	T12-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#S	5.55		OPTCL B5T
B-95	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421103	T13-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#T	22.09		Export to TFCOD
B-96	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421104	T14-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#U	21.77		Optim
B-97	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421105	T15-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#V	21.72		Optim
B-98	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421106	T16-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#W	-22.41		Optim
B-99	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421107	T17-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#X	-1.66		Optim
B-100	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421108	T18-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#Y	1.11	8.10064	OPTCL B5T
B-101	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421109	T19-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#Z	1.11		OPTCL B5T
B-102	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421110	T20-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#A	21.31		OPTCL B5T
B-103	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421111	T21-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#B	0.39		OPTCL B5T
B-104	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421112	T22-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#C	13.84		OPTCL B5T
B-105	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421113	T23-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#D	0.00		OPTCL B5T
B-106	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421114	T24-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#E	18.39		OPTCL B5T
B-107	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421115	T25-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#F	17.00		OPTCL B5T
B-108	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421116	T26-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#G	11.19		OPTCL B5T
B-109	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421117	T27-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#H	19.76		OPTCL B5T
B-110	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421118	T28-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#I	21.71		OPTCL B5T
B-111	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421119	T29-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#J	2.85		OPTCL B5T
B-112	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421120	T30-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#K	1.36		OPTCL B5T
B-113	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421121	T31-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#L	82.25		OPTCL B5T
B-114	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421122	T32-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#M	81.86		OPTCL B5T
B-115	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421123	T33-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#N	1.83		OPTCL B5T
B-116	IPW001	Power Unit	12V AC	IN-12	Umanat 500	421124	T34-20MVA 132/13kV		Metered	Functional	01-07-2022	Mixed	100% data received through EMD file	OPTEL#O	41.76		OPTCL B5T

01.01	TPR001	RAMON	33 kV	PHU	Thumhai 500	61504	RAMCO Feeder 132kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		04/07/21	1000	10.31			OPTCL B57 Bill
01.08	TPR020	JAIRUN	33 kV	PHU	Kongphai II 500	62101	Leganti Steel Feeder 132kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		04/07/21	1000	0.41			OPTCL B57 Bill
01.09	TPR020	JAIRUN	33 kV	PHU	Major Road 500	61101	TP1-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	27.96			OPTCL B57 Bill
01.20	TPR020	JAIRUN	33 kV	PHU	Major Road 500	61102	TP2-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	27.61			OPTCL B57 Bill
01.21	TPR020	JAIRUN	33 kV	PHU	Major Road 500	61103	TP3-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	28.59			OPTCL B57 Bill
01.22	TPR020	JAIRUN	33 kV	PHU	Major Road 500	61104	Varian Feeder 13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		04/07/20	1000	0.29			OPTCL B57 Bill
01.23	TPR020	JAIRUN	33 kV	PHU	Major Road 500	61105	TP1-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	30.00			OPTCL B57 Bill
01.24	TPR020	Wichana	33 kV	PHU	Major Road 500	61106	TP2-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	19.42			OPTCL B57 Bill
01.25	TPR020	Wichana	33 kV	PHU	Major Road 500	61107	TP3-50kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		04/07/21	1000	30.77			OPTCL B57 Bill
01.26	TPR020	Wichana	33 kV	PHU	Major Road 500	61108	Traction Feeder 132kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	14.02			OPTCL B57 Bill
01.27	TPR020	Wichana	33 kV	PHU	Major Road 500	61109	TP1-15kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	15.00			OPTCL B57 Bill
01.28	TPR020	Wichana	33 kV	PHU	Major Road 500	61110	TP2-15kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	15.18			OPTCL B57 Bill
01.29	TPR020	Wichana	33 kV	PHU	Major Road 500	61111	TP3-15kVA 132/13kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	5.64			OPTCL B57 Bill
01.30	TPR020	Wichana	33 kV	PHU	Major Road 500	61112	Benaporn II Feeder 132kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	12.94			Export to Wipro
01.31	TPR020	Wichana	33 kV	PHU	Major Road 500	61113	Pad Feeder 132kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		04/07/21	1000	36.54			OPTCL B57 Bill
01.32	TPR020	Wichana	20 kV	PHU	Major Road 500	61114	TP1-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	48.46			OPTCL B57 Bill
01.33	TPR020	Wichana	20 kV	PHU	Major Road 500	61115	TP2-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	46.02			OPTCL B57 Bill
01.34	TPR020	Wichana	20 kV	PHU	Major Road 500	61116	TP3-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	3.9714			OPTCL B57 Bill
01.35	TPR020	Wichana	20 kV	PHU	Major Road 500	61117	TP4-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	13.8415			OPTCL B57 Bill
01.36	TPR020	Wichana	20 kV	PHU	Major Road 500	61118	TP5-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	0.03			OPTCL B57 Bill
01.37	TPR020	Wichana	20 kV	PHU	Major Road 500	61119	TP6-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	13.77			OPTCL B57 Bill
01.38	TPR020	Wichana	20 kV	PHU	Major Road 500	61120	TP7-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	13.50			OPTCL B57 Bill
01.39	TPR020	Wichana	20 kV	PHU	Major Road 500	61121	TP8-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	9.90			OPTCL B57 Bill
01.40	TPR020	Wichana	20 kV	PHU	Major Road 500	61122	TP9-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	15.52			OPTCL B57 Bill
01.41	TPR020	Wichana	20 kV	PHU	Major Road 500	61123	TP10-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	1.12			OPTCL B57 Bill
01.42	TPR020	Wichana	20 kV	PHU	Major Road 500	61124	TP11-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	13.34			OPTCL B57 Bill
01.43	TPR020	Wichana	20 kV	PHU	Major Road 500	61125	TP12-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	4.95987			OPTCL B57 Bill
01.44	TPR020	Wichana	20 kV	PHU	Major Road 500	61126	TP13-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	1.27			OPTCL B57 Bill
01.45	TPR020	Wichana	20 kV	PHU	Major Road 500	61127	TP14-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	0.04			OPTCL B57 Bill
01.46	TPR020	Wichana	20 kV	PHU	Major Road 500	61128	TP15-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	8.50			OPTCL B57 Bill
01.47	TPR020	Wichana	20 kV	PHU	Major Road 500	61129	TP16-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	8.51			OPTCL B57 Bill
01.48	TPR020	Wichana	20 kV	PHU	Major Road 500	61130	TP17-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	14.09			OPTCL B57 Bill
01.49	TPR020	Wichana	20 kV	PHU	Major Road 500	61131	TP18-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	12.38			OPTCL B57 Bill
01.50	TPR020	Wichana	20 kV	PHU	Major Road 500	61132	TP19-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	12.40			OPTCL B57 Bill
01.51	TPR020	Wichana	20 kV	PHU	Major Road 500	61133	TP20-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	0.12			OPTCL B57 Bill
01.52	TPR020	Wichana	20 kV	PHU	Major Road 500	61134	TP21-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	16.62			OPTCL B57 Bill
01.53	TPR020	Wichana	20 kV	PHU	Major Road 500	61135	TP22-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	39.82			OPTCL B57 Bill
01.54	TPR020	Wichana	20 kV	PHU	Major Road 500	61136	TP23-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	2.281796			OPTCL B57 Bill
01.55	TPR020	Wichana	20 kV	PHU	Major Road 500	61137	TP24-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	29.94			OPTCL B57 Bill
01.56	TPR020	Wichana	20 kV	PHU	Major Road 500	61138	TP25-TP1-50kVA 220/23kV	Metred	Functional	01-07-2022	Mixed	100% data received through BMD file		07/07/21	1000	20.24			OPTCL B57 Bill

B.107	IPW400	K12/10/00	12.1V	M11	Kempur 1500	62110	Opti-Prime 20V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	0.00			OPTCL B5T Bill
B.108	IPW400	K12/10/00	23.1V	M11	Kempur 1500	621107	Prime-Smart 20V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	0.00			OPTCL B5T Bill
B.109	IPW400	K12/10/00	23.1V	M11	Kempur 1500	621106	Testino Prime 12.1V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	11.76			OPTCL B5T Bill
B.110	IPW400	K12/10/00	23.1V	M11/11.0	Kempur 1500	621109	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	14.66			OPTCL B5T Bill
B.111	IPW400	K12/10/00	23.1V	M11/11.0	Kempur 1500	621110	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	13.73			OPTCL B5T Bill
B.112	IPW400	K12/10/00	23.1V	M11/11.0	Kempur 1500	621111	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	21.79			OPTCL B5T Bill
B.113	IPW400	K12/10/00	23.1V	M11	Kempur 500	621101	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	15.53			OPTCL B5T Bill
B.114	IPW400	K12/10/00	23.1V	M11	Kempur 500	621102	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	9.04			OPTCL B5T Bill
B.115	IPW400	K12/10/00	23.1V	M11	Kempur 500	621103	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	13.16			OPTCL B5T Bill
B.116	IPW400	K12/10/00	23.1V	M11	Kempur 500	621104	100-2000/132/13V	Mixed	Functional	01.07.2022	Mixed	100% data received through BMD file	-	-	OptiPrime	2000	17.66			OPTCL B5T Bill

Details of Input Energy Sources								
Period From 1st Apr'2022 To 1st Jun'2022								
A. Generation at Transmission Periphery (Details)								
Sr.No.	Name of Generation Station	Generation Capacity (In MW)	Type of Station Generation (Based- Solid (Coal ,Lignite)/Liquid/Gas/Renewable (biomass-bagasse)/Others)	Type of Contract (In years/months/days)	Type of Grid (Intra-state/Inter-state)	Point of Connection (POC) Loss MU	Voltage Level (At input)	Remarks (Source of data)
1	SUB-STATION	25 MW	Railway	NA	NA	NA	EHT	Data base
2	POWER LTD.	60 MW	Steel	NA	NA	NA	EHT	Data base
3	ELECTRICAL DIVIS	25 MW	Railway	NA	NA	NA	EHT	Data base
4	M/S EMAMI CEMENT LTD.	11 MW	Cement	NA	NA	NA	EHT	Data base
5	PLANT 2005	23 MW	Ferroy	NA	NA	NA	EHT	Data base
6	M/S TATA STEEL LTD.	16 MW	Steel	NA	NA	NA	EHT	Data base
7	CEMENTS LTD.	750KW	Cement	NA	NA	NA	EHT	Data base
8	LTD.	20 MW	SPONGE IRON	NA	NA	NA	EHT	Data base
9	M/S JSW CEMENT LTD..	12 MW	Cement	NA	NA	NA	EHT	Data base
10	LIMITED	have two CPP but	Steel and Power	NA	NA	NA	EHT	Data base
11	STEELS & PWR LTD	35 MW	steel	NA	NA	NA	EHT	Data base

[illegible]

(Details of Feeder-wise losses)

Apr 22 to Jun 22

Sl No.	Zone	Received at Circle (In MU)	Received at Division (In MU)	Received at Sub-division (In MU)	Name of the Station	Feeder Code/ID	Feeder Name	Type of Feeder (Urban/Mixed/Rural)	Type of Feeder meter (AM/AMH/Other)	Received at Feeder (Final In MU)	Feeder Consumption (In MU)	Final Net Export at Feeder Level (In MU)	T&D losses	AT&C losses	% Data Received through Automatically (If feeder AMH/AMI)
1	TPNODL	KEONJHAR	AED	GHATAGAON	DHENKIKOTE	462333204	HATIBARI	Mixed	Other	0.12345696	0.12345696	0.018032	85.39%		
2	TPNODL	BHADRAK	BNEB	No. II S/D	BULEGANIGADHARPUR (ODS)	442141201	MAA BHADIRAKALI	Mixed	Other	7.873	7.873	0.03304	61.22%		
3	TPNODL	KEONJHAR	AED	BIDYADHARPUR	CHHENAPADI (ODSSP)	462321204	BANCHO	Mixed	Other	0.132	0.132	0.058925	54.68%		
4	TPNODL	BHADRAK	BSED	Dhamanagar S/D	DAHALA	462212203	DAHALA	Mixed	Other	2.2586	2.2586	1.10988	50.86%		
5	TPNODL	BHADRAK	BNEB	Thidi S/D	GHANDABALI	442122203	TENTULDIHI	Mixed	Other	3.46106	3.46106	1.7674	48.93%		
6	TPNODL	BHADRAK	BNEB	No. I S/D	POWERHOUSE	442111104	KANTABANIA	Mixed	Other	9.82086	9.82086	5.1904306	47.15%		
7	TPNODL	BALASORE	BED	SUPPLY S/D-II BALASORE	GHANASWARPUR	432122302	BUS STAND	Mixed	Other	2.38	2.38	1.29	45.45%		
8	TPNODL	BALASORE	BED	SUPPLY S/D-II BALASORE	GHANASWARPUR	432122302	BUS STAND	Mixed	Other	2.38	2.38	1.29	45.45%		
9	TPNODL	KEONJHAR	KED	TURMUNGA	SAHARAPADA	462131801	MACHHAGARHI(SAH)	Mixed	Other	0.418296704	0.418296704	0.233136	44.27%		
10	TPNODL	BHADRAK	BNEB	Dhamra S/D	BIDEIPUR	442152101	BALIMUDA	Mixed	Other	8.7244	8.7244	4.9035	44.10%		
11	TPNODL	BHADRAK	BNEB	Thidi S/D	NANDAPUR (THIDI)	442121604	JUHARPUR	Mixed	Other	3.90596	3.90596	2.226009	43.01%		
12	TPNODL	BHADRAK	BED	SUPPLY S/D-I BALASORE	SWADHIN PADIA (ODSSP)	432114404	FISHERY	Mixed	Other	0.745	0.745	0.42	42.45%		
13	TPNODL	BHADRAK	BNEB	Dhamra S/D	BIDEIPUR	442152103	BIDEIPUR	Mixed	Other	0.90494	0.90494	0.5294	41.50%		
14	TPNODL	KEONJHAR	BED	SUPPLY S/D-I BALASORE	CITY	462121101	BALASORE-I	Mixed	Other	6.19	6.19	3.62	41.40%		
15	TPNODL	KEONJHAR	AED	ANANDPUR	SAINKUL (ODSSP)	462310701	BHAGANAI	Mixed	Other	0.3156	0.3156	0.185081	41.36%		
16	TPNODL	BHADRAK	BSED	Dhamanagar S/D	DAHALA	442121202	AKHAPADIA(Dahala)	Mixed	Other	4.126	4.126	2.46296	40.31%		
17	TPNODL	BHADRAK	BSED	RE- S/D Bhadrak	BARAPADA	432143704	BARAPADA	Mixed	Other	1.45515	1.45515	0.87919	39.58%		
18	TPNODL	BHADRAK	BNEB	Thidi S/D	NANDAPUR (THIDI)	442121602	KALMEGHA	Mixed	Other	3.99	3.99	2.42085	39.35%		
19	TPNODL	KEONJHAR	AED	ANANDPUR	REKUTIA (ODSSP)	462313302	KESHOURAPAL	Mixed	Other	0.23764	0.23764	0.146009	38.56%		
20	TPNODL	BARIPADA	JOED	JODA	JURUDI	462212201	JAJANG	Mixed	Other	2.316977568	2.316977568	1.424657	38.51%		
21	TPNODL	BHADRAK	BNEB	RE S/D	Baripada Stadium	452112201	Ambika	Urban	Other	3.87448	3.87448	2.4556	36.62%		
22	TPNODL	BHADRAK	BNEB	Thidi S/D	JASHIPUR	442123403	GHANESWAR	Mixed	Other	8.39925	8.39925	5.4111376	35.58%		
23	TPNODL	BHADRAK	BSED	Asurali S/D	ASURALI	442232102	ARNAPALA	Mixed	Other	9.6012	9.6012	6.1871	35.56%		
24	TPNODL	BARIPADA	BPED	Baripada S/D	Baripada Stadium	442232102	ARNAPALA	Mixed	Other	1.5716	1.5716	0.87919	35.44%		
25	TPNODL	BHADRAK	BNEB	Basudevpur S/D	BASUDEVPUR	452112205	NARASINGHAPUR-I	Urban	Other	2.43434	2.43434	1.5716	35.44%		
26	TPNODL	BHADRAK	BSED	RE- S/D Bhadrak	CHHAYAL SINGH	442132107	NARASINGHAPUR-I	Mixed	Other	3.94508	3.94508	2.54725	35.43%		
27	TPNODL	BHADRAK	BSED	Asurali S/D	ASURALI	442222302	ODANGA	Mixed	Other	3.8679	3.8679	2.52154	34.81%		
28	TPNODL	BALASORE	BED	SUPPLY S/D-I BALASORE	GOPALGAON	442231104	JHARADIA	Mixed	Other	0.90285	0.90285	0.59015	34.63%		
29	TPNODL	KEONJHAR	AED	ANANDPUR	KALIMANDIR (IPDS)	462311102	FAKHPUR	Mixed	Other	2.89	2.89	1.899	34.26%		
30	TPNODL	BALASORE	BED	SUPPLY S/D-II BALASORE	GHANASWARPUR	432111503	PHANDI CHHAKA	Mixed	Other	0.408	0.408	0.27194	33.35%		
31	TPNODL	BALASORE	BED	SUPPLY S/D-II BALASORE	GHANASWARPUR	432122301	NUASAH	Mixed	Other	2.18	2.18	1.46	32.99%		
32	TPNODL	BARIPADA	BPED	RE- S/D	CHANCHHA	452122301	CIRCUT HOUSE	Mixed	Other	0.94	0.94	0.633	32.61%		
33	TPNODL	BHADRAK	BSED	Asurali S/D	SAHABHANI	442212204	RAMAKRISHNAPUR	Rural	Other	3.32324	3.32324	2.2424	32.52%		
34	TPNODL	BHADRAK	BSED	RE- S/D Bhadrak	SAHABHANI	442212204	RAMAKRISHNAPUR	Mixed	Other	3.2434	3.2434	2.2582	31.37%		
35	TPNODL	BHADRAK	BNEB	No. I S/D	TAHASIL	442231302	CHUNINDA	Mixed	Other	2.053	2.053	1.42248	30.71%		
36	TPNODL	BHADRAK	BNEB	Basudevpur S/D	BASUDEVPUR	442132106	BANTHCHAAK	Mixed	Other	12.43072	12.43072	8.82688	28.99%		
37	TPNODL	JAIPUR	JOED	KUAKHIA	SUJANPUR	461532401	BRAMHABARADA	Mixed	Other	5.296	5.296	3.782	28.59%		
38	TPNODL	KEONJHAR	JOED	JODA	JODAHIRAKUD COLONY	462211103	BANEIKALA	Mixed	Other	3.73259	3.73259	2.67571347	28.31%		
39	TPNODL	BARIPADA	BPED	Rural S/D	Samakhunta	452163201	Samakhunta	Rural	Other	1.41188	1.41188	1.016	28.04%		
40	TPNODL	BALASORE	BED	SUPPLY S/D-I BALASORE	CITY	432121106	INDUSTRIAL	Mixed	Other	0.77	0.77	0.58	26.60%		
41	TPNODL	BHADRAK	BNEB	Basudevpur S/D	BASUDEVPUR	442132106	NARASINGHAPUR-II	Mixed	Other	2.59792	2.59792	1.92397	25.94%		
42	TPNODL	BARIPADA	BPED	Moroda S/D	Ragovindpur, Baripada	452152103	MANIDA	Rural	Other	1.03584	1.03584	0.7695	25.71%		
43	TPNODL	BHADRAK	BSED	Asurali S/D	SAHABHANI	442231301	SATABHANI	Mixed	Other	2.7584	2.7584	2.049538	25.70%		
44	TPNODL	BALASORE	BED	SUPPLY S/D-II BALASORE	GHANASWARPUR	432121201	INDUSTRIAL-I	Mixed	Other	3.42	3.42	2.55	25.22%		
45	TPNODL	KEONJHAR	KED	No. II KEONJHAR	SUKATI (ODSSP)	462123601	SUKATI TOWN	Mixed	Other	0.837228	0.837228	0.627112	25.10%		
46	TPNODL	BARIPADA	BPED	Baripada S/D	Baripada Stadium	452112204	Collector	Urban	Other	0.4466	0.4466	0.3385	24.21%		
47	TPNODL	KEONJHAR	AED	GHATAGAON	HARICHANDANPUR	462333403	MEDICAL	Mixed	Other	0.0357	0.0357	0.07193	23.83%		
48	TPNODL	JAIPUR	IREB	JAIPUR ROAD	RAGADI	461142902	RAGADI	Mixed	Other	2.259	2.259	1.729	23.46%		
49	TPNODL	BHADRAK	BNEB	Thidi S/D	CHANDABALI	442122201	CHANDABALI	Mixed	Other	9.5922	9.5922	7.37302	23.14%		
50	TPNODL	JAIPUR	IREB	JAIPUR ROAD	MANTRA	461112702	JAKHAPURA	Mixed	Other	1.466	1.466	1.127	23.12%		
51	TPNODL	JAIPUR	IREB	PANIKOLI	SALAKANA	4611421001	BT ROAD	Mixed	Other	2.587	2.587	1.993	22.96%		
52	TPNODL	BHADRAK	BNEB	No. I S/D	TAHASIL	442112204	APARTIBINDHA	Mixed	Other	4.27018	4.27018	3.2966624	22.80%		
53	TPNODL	BALASORE	BED	SUPPLY S/D-I BALASORE	CITY	432121104	SATYA NAGAR	Mixed	Other	1.17	1.17	0.903	22.75%		
54	TPNODL	BHADRAK	BNEB	Basudevpur S/D	BASUDEVPUR	461111203	BAZAR	Mixed	Other	9.426	9.426	7.2863675	22.70%		
55	TPNODL	KEONJHAR	AED	BIDYADHARPUR	BIDYADHARPUR	462222102	SOSO	Mixed	Other	0.3288	0.3288	0.255155	22.40%		
56	TPNODL	JAIPUR	IREB	DASRATHPUR	KANTIPADIA	461221302	NANDIPUR	Mixed	Other	1.107	1.107	0.86	22.31%		
57	TPNODL	JAIPUR	IREB	DUBURI	DAMODARPUR	461122101	MANGALPUR	Mixed	Other	0.893	0.893	0.695	22.17%		
58	TPNODL	JAIPUR	IREB	DASRATHPUR	BOULANGA	461222101	MANGALPUR	Mixed	Other	0.893	0.893	0.695	22.17%		

